
HE STATE SAVINGS BANK OF VICTORIA

DESIGN BOOK TIMBER DWELLINGS

PRICE 26



THE STATE SAVINGS BANK OF VICTORIA

COMMISSIONERS :

W. Warren Kerr, C.M.G., C.B.E. (Chairman)
Jas. C. Gates, Esq. (Deputy Chairman)
Jno. Kean, Esq., Sir Walter Leitch, C.B.E., A. E. Hocking, Esq.

GENERAL MANAGER:
J. Thornton Jones, J.P.

ASSISTANT GENERAL MANAGER: Norman R. Williams, O.B.E., B. Com.

CHIEF ARCHITECT:
G. Burridge Leith, F.R.A.I.A.

Designs of

TIMBER-FRAMED DWELLING HOUSES

Available for selection by applicants for Credit Foncier Building Loans

MARCH 1938





Foundations -

Walls - - - Chimneys - -

Weatherboards

Gables - - -

Roof

Ceilings

Linings -

Flooring -

Windows - -

Internal Joinery

Fencing - -

Lighting - -

Gas Service -

Water Service

Sewerage - -]

Storm Water - (

Fittings .

Painting - - I

Summary of SPECIFICATION COVERING VARIOUS DESIGNS

Foundations - Red Gum or Jarrah.

Walls - - Timber Framing-Hardwood or Oregon.

Chimneys --Brick

Weatherboards (a) Baltic; painted

(b) Hardwood; stained and oiled.

(c) Weatherboards and Asbestos Cement Sheeting.

Gables - - - (a) Shingles.
(b) Asbestos Cement Sheeting.

Roof - - (a) Terra Cotta Tiles.

(b) Gal. Corrugated Iron.

Ceilings - - Fibrous Plaster Sheeting, with (a) Fibrous Plaster Straps; (b) Timber Straps.

Linings -(a) Lath and Plaster; (b) Fibrous Plaster Continuous Sheeting.

Timber or Hard Finish Plaster Dado to Bathroom, and the Kitchen if desired.

Flooring - Main Building (a) 6" x 7" Baltic; (b) 4" x 7" Hardwood. Verandahs, 31" x 7" Jarrah.

Windows - - (a) Double Hung Sashes. Standard Size. (b) Casement Sashes.

Doors - - Standard Design, single, 3 or 4 panelled, Red Pine.

Internal Joinery Red Pine, plain sanitary finish.

- Boundary Fences-5' paling. Fencing

Frontage—Cyclone Wire Fabric, Style A.

Gates: Single or Double if required to match fence.

Lighting - - Electric Lighting throughout.

Gas Service - (Where available) to Stove, Bath-heater or Copper.

Water Service Water Service, where supply is available, to all house points and one tap in front garden and one at rear.

Sewerage - - Properties will be sewered where Retic. Branch is available.

In all other cases all sanitary plumbing will be carried out for future connection and temporary connection made to storm water drains.

Storm Water - (a) Three Brick Open Drains.

(b) 4" Pipe Drains.

- - All Fittings in accordance with Standard Selection-Fittings

(1) Firebrick Grate and Brick Hearth to living Room (or where required).

(2) Bath (a) 5'6" C.I. Porcelain Enamel, R.E. or (b) Built in Flanged.
(3) Porcelain Lavatory Basin (a) 22" x 20" Corner Basin; (b) 23" x 12"

Flat Back Basin.
(4) Sink, 15", Porcelain Enamelled.

(5) Stove, Applicant's Selection.

(6) Copper (a) 12-gal. capacity, seamless, built in; (b) Gas Copper; (c) Portable Copper.

(7) Cement Wash Troughs (2 compartment).


Painting - Internal and External Wood Work-(a) Stained and oiled; (b) Painted.

AGE






AGE]






(GE)







GE]





AGE]








CCA

51.6"

NK PAGE]


CCV





PAGE]


CCV





CCV


CC





AGE]


CCV








GE]






AGE]








GE]








CV






K PAGE]






PAGE]

CCV





(PAGE]






CCA

FRO

PLA

ANK PAGE]

CC






CCV

, FRONT


PLAN

NK PAGE]


CC
















· FRONT VIEW . LARDER = KITCHEN 13'x 12' BED RM. 2 12'x 11'6" LAUNDRY # BATH RM. 40.0" LIVING RM. LINEN 16' x 12' BED RM. 1 14' x 12'6" HALL 8'x6' LOUNGE 14'x 13'6" The state of 6' VERANDAH 34'.0". · PLAN .

BE]






PAGE]








E]

CV




PAGE]






PAGE]










GE]




PAGE]








PAGE]






PAGE]








GE]








GE]







GE]






FRONT VIEW . PORCH LARDER BATH RM. 10' x 6' BED RM. 3 10'x10' KITCHEN 14' x 10'6" BED RM.2. 14' × 9' LINEN HALL BED RM. 1. 15' x 12' LIVING RM. - 6' VERANDAH 19:6" x 71. 0 38'.0". £760 · PLAN .

(GE)








E]








CA





AGE]







120 BUILDING

Digitized



ASSOCIATI PRESERVA INTERNATI

TECHNO HERITAG LIBRARY

www.apti

From the

CC

CANADIAN ARCHITEC CENTRE C

WWW.CC3

Digitized by:



ASSOCIATION FOR PRESERVATION TECHNOLOGY, INTERNATIONAL

BUILDING TECHNOLOGY HERITAGE LIBRARY

www.apti.org

From the collection of:



CANADIAN CENTRE FOR ARCHITECTURE / CENTRE CANADIEN D'ARCHITECTURE

www.cca.qc.ca